



Ministry of Health and Social Services Republic of Namibia

NAMIBIA COVID-19 SITUATION REPORT NO. 101				
Outbreak Name	COVID-19 outbreak	Country affected	Namibia	
Date & Time of	27.06.2020	Investigation start	13 March 2020	
this report	22:15 hrs	Date		
Prepared by	Surveillance Team			

HIGHLIGHTS/SITUATION UPDATE (As of 27/06/2020)

- The country (with exception of Walvis Bay, Swakopmund, and Arandis in Erongo region) will migrate to stage 4 of the lockdown (effective from midnight, 29 June 2020 -17 September 2020).
- Erongo region is in Stage 3 with restrictions in Walvis Bay, Swakopmund, and Arandis Local Authority Areas (effective from 23h59 of 22 June 2020 until 23h59 of 06 July 2020).



- Hundred-and-nine 109 (77.7%) cases are local transmissions while 41 (27.3%) are imported.
- Cumulatively, thirty-eight (38) cases were identified during active case search.
- Seven of the 14 regions have reported confirmed cases with Erongo region reporting the highest number of cases; 112 (74.7.%).
- ⊙ More female cases 88 (58.7%) were recorded compared to male cases 62 (41.3%).
- Of the 29 cases reported today, **22** are symptomatic, while 7 are asymptomatic.




Figure 1. Distribution of suspected and confirmed COVID-19 cases in Namibia by District, 27 June 2020

Dashboard information can be accessed at: https://cutt.ly/Covid-19-situation-Namibia

EPIDEMIOLOGICAL SITUATION IN NAMIBIA

Namibia has recorded a total of 150 confirmed cases since 13 March 2020. Most, 92 (61.3%) of the

cases were recorded during week 26 (Figure 2).




Figure 2. Epi-curve for confirmed COVID-19 cases as of 27 June 2020

- O A total of 7822 tests have been conducted by the two laboratories (NIP & PathCare) to date. The highest number of tests were from Khomas (3342) and the lowest was Kavango region (64).
- Seven (7) regions have reported confirmed cases; Erongo has the highest number of confirmed cases 112 (74.7%) followed by Khomas 25 (16.7%).
- O Zambezi and Ohangwena have each reported one confirmed case (0.7%).




Figure 3: Age and sex distribution of COVID-19 confirmed cases as of 27 June 2020

- A high number of cases were recorded in the past two weeks as a result of:
 - -Spread of local transmission in Walvis bay district
 - -Increased active case search and testing, averaging 300 daily in the past few days.
- O A total of 868 people are currently in quarantine with 19 new admissions. A total of 41 in quarantine have tested positive for COVID-19 since March 2020.
- Call centre continue operations for 24 hours daily; 1884 calls were answered with 20 alerts investigated over the past 24hrs.

Table 1: Distribution of confirmed COVID-19 cases by region as of 27 June 2020

Region	No of cases	Active cases	Recovered
Khomas	25	11	14
//Karas	6	5	1
Erongo	112	106	6
Hardap	3	2	1
Zambezi	1	1	0
Otjozondjupa	2	2	0
Ohangwena	1	1	0
Total	150	128	22

- The most affected age is within 20 and 49 years (76.9%). Those aged 60 and above (10) constitute 6.7% of those affected.
- In Namibia, more female 88(58.7%) are affected.

- As of 26 June 2020, a total of 1475 contacts of confirmed cases have been identified of which 2 were added within the last 24 hours. A total of 624 contacts have completed their 14 days of follow up, 93 out of a total of 812 active contacts were monitored today.
- Since March 2020, a total of 3754 persons have been placed into supervised quarantine facilities around the country.
- A total of 363 trucks entered the country through various ground crossing points in the last 24 hours. 46.8% were heading to Khomas region, while 20.4% were heading to Erongo region.

PUBLIC HEALTH ACTION

- Integrated teams have been sent to Kavango and Zambezi regions to give technical support for a period of 7 days.
- Regions have intensified surveillance on travellers from Erongo region early case detection.
- Targeted testing in Walvis Bay is ongoing.

CHALLENGES

- Inadequate isolation units at health facilities in the regions.
- Inadequate PPE
- Inadequate nasopharyngeal swabs and apropriate transport media.
- Prologed turn-around time of results at two laboratories

RECOMMENDATIONS

- Establish fully equipped isolation units at health facilities in the regions.
- O Logistics pillar to continue with the procurement and distribution of sufficient PPE to the regions to ensure that response is not interrupted.
- O NIP to continue sourcing for swabs and appropriate transport media.
- O Enhance laboratory testing capacity through out the country

Approved:

Incident Manager

Date: 27 June 2020

Secretariat

For enquiries, please contact

Namibia Public Health Emergency Operations Centre;



PHEOC@mhss.gov.na



0800 100 100



0851 100 100