



# **ABORTION HEALTH PROFILE**



ANGOLA 2020

1. General Statistics	Legal status of abortion			
	31,825		No	Yes
Total population (000's), 2019		On request		<b>✓</b>
		For economic or social reasons	×	
Total female population (15 - 49 years) (000's), 2019	7,335	In cases of foetal impairment		<b>&gt;</b>
		In cases of incest	×	
Unintended pregnancies (000's), 2019		In cases of intellectual/cognitive disability of the woman	×	
A.I. (1:11 / 4000 14540 ) 4/4/0044	163	In cases of rape	×	
Adolescent birth rate (per 1000 women aged 15-19 years), 1/1/2014		To preserve a woman's health	×	
Proportion of women who make their own informed decisions regarding	85	To preserve a woman's mental health		<b>~</b>
sexual relations (% of women aged 15-49 years), 2016		To preserve a woman's physical health		<b>~</b>
Total fertility rate 15-49 (births per woman), 2015	6	To save a woman's life		<b>~</b>
Total lettility rate 10-49 (birtins per worldin), 2013	Ů	Other		<b>&gt;</b>





2010-2017 vs 2010-2030 Current AARR in MMR 4.3% Expected AARR to reach MMR target 2030 4.2%

5. Annual average rate of reduction:

6. FP indicators and unsafe abortions averted due to modern contraceptive use					
Value	80	7 <sup>°</sup> 6			
	60	49 •			
	40	25			
	20	•			
	0				
		2015			
L		Year			
Legend					

ED indicators and unacted aboutions

## 7. Available in National Essential Medicines List - (2008)

Misoprostol X X Mifepristone Misoprostol + Mifepristone combination

8. Post-abortion contraceptive acceptance



### References

- 1: United Nations, Department of Economic and Social Affairs, Population Division (2019). World Population Prospects 2019, custom data acquired via website in July 2020; DHS and national surveys compiled in WHO Global Observatory and UNFPA global databases accessed in July 2020; ICF, 2015. The DHS Program STATcompiler. Funded by USAID. Available from: <a href="http://www.statcompiler.com">http://www.statcompiler.com</a>. Accessed July 2020
- 2: Global Abortion Policy Database (https://abortion-policies.srhr.org/) accessed in July 2020
  3: Global Burden of Disease Study 2017 (GBD 2017) Results. Seattle, United States: Institute for Health Metrics and Evaluation (IHMF) 2018

Available from http://ghdx.healthdata.org/gbd-results-tool

- 4: Trends in maternal mortality 2000 to 2017: estimates by WHO, UNICEF, UNFPA, World Bank Group and the United Nations Population Division
- 6: From FP2020 2019 Progress Report, most recent national surveys (DHS,PMA2020, MICS,RHS and other national surveys).
- At: http://orogress.familyplanning2020.org/resources
  7: Global Abortion Policy Database (https://abortion-policies.srhr.org/) accessed in July 2020.

#### For further information:

Contraceptive prevalence - modern methods (%)

■ Demand satisfied for modern contraception (%)

Unmet need for family planning (%) ■ Unsafe abortions averted (000's)

Reproductive Maternal Health & Ageing(RMH) Programme (afrgofrhrwh@who.int), Universal Health Coverage/Life course Cluster



### Definitions and abbreviations

Unsafe abortions averted due to modern contraceptive use: Number of unsafe abortions that did not occur during a specified reference period as a result of the protection provided by modern contraceptive use during the reference period. Contraceptive prevalence - Modern Methods: Percentage of women of reproductive age who are using (or whose partner is

using) a modern contraceptive method at a particular point in time

Unmet need: percentage of fecund women of reproductive age who want no more children or to postpone having the next child, but are not using a contraceptive method, plus women who are currently using a traditional method of family planning FP - Family planning, MMR - Maternal Mortality Ratio